





- > COMPACT SIZE <
- > DIFFERENT FLASHING PATTERNS <
- > EXCELLENT OPTICAL PERFORMANCE <



## INDICATOR | PART NO

**INDICATOR 7**  
(MULTIFUNCTIONAL BAR  
7 MODULES)

12/24V



74907

**INDICATOR 9**  
(MULTIFUNCTIONAL BAR  
9 MODULES)

12/24V



74908

## INDICATOR

Compact size multifunctional bar for traffic control operations.

Available with seven or nine LED modules, INDICATOR offers excellent optical performance as well as installation versatility.

Structure made up of aluminium profiles and polycarbonate lenses.

Flashing patterns are selected and simulated via control unit.

## KEY CHARACTERISTICS

**VOLTAGE**  
12/24V DC

**LIGHT EFFECT**  
SELECTABLE FLASHING PATTERNS

**LIGHT INTENSITY**  
INDICATOR 7: 1700 Cd(p)  
INDICATOR 9: 2000 Cd(p)

**PROTECTION GRADE**  
IP55

**OPERATING TEMPERATURE**  
-30/+50 °C


## MECHANICAL FEATURES

Aluminium profiles and polycarbonate lenses

## OPTICAL FEATURES

Powerful 3-LED modules allowing six different flashing patterns: Single Flash (1F), Double Flash (2F), Alternating Central/Lateral, Centre/Extremity, Left/Right, Right/Left

## DRAWINGS, DIMENSIONS AND WEIGHT



## CERTIFICATIONS



## HOMOLOGATION NUMBERS

**INDICATOR**  
(MULTIFUNCTIONAL BAR)

EMC UNECE 10R E3 PENDING (12/24V)